A&A manuscript no.
(will be inserted by hand later)

Your thesaurus codes are:
06 (04.03.1, 08.02.5)

ASTRONOMY
AND
ASTROPHYSICS
1.2.2008

arXiv:astro-ph/0103243v1 15 Mar 2001

UBV(RI)$_C$ photometric comparison sequences for symbiotic stars. II

Arne Henden[1] **and Ulisse Munari**[2]

[1] Universities Space Research Association/U. S. Naval Observatory Flagstaff Station, P. O. Box 1149, Flagstaff AZ 86002-1149, USA
[2] Osservatorio Astronomico di Padova, Sede di Asiago, I-36012 Asiago (VI), Italy

Received date.............; accepted date................

Abstract. We present accurate UBV(RI)$_C$ photometric sequences for an additional 20 symbiotic stars. As for the 20 targets of Paper I, the sequences extend over wide brightness and color ranges, and are suited to cover both quiescence and outburst phases. The sequences are intended to assist both present time photometry as well as measurement of photographic plates from historical archives.

Key words: Catalogs – Binaries: symbiotic

1. Introduction

In Paper I (Henden and Munari 2000) we discussed the need for extended, accurate and homogeneous photometric sequences around symbiotic stars and how their lack has contributed to our currently poor photometric knowledge of these interacting binaries. We also reviewed the basic types of variability for symbiotic stars and their causes, and provided $UBV(RI)_C$ sequences for a first sample of 20 objects.

This Paper II presents accurate photometric comparison sequences for an additional 20 symbiotic stars using observing strategies, reduction methodologies and presentation layouts strictly similar to those of Paper I (to which the reader is referred for all details). The sequences are intended to allow a general observer to capture on a single CCD frame or to have in the same eyepiece field of view when inspecting archival photographic plates: (*a*) enough stars to cover the whole range of known or expected variability for the given symbiotic star, (*b*) stars of enough different colors to be able to calibrate the instrumental color equations and therefore reduce to the standard $UBV(RI)_C$ system the collected data, and (*c*) stars well separated from surrounding ones to avoid blending at all but the shortest telescope focal lengths. As for Paper I, all observations have been made with the 1.0-m Ritchey-Chrétien telescope of the U. S. Naval Observatory, Flagstaff Station with a Tektronix/SITe 1024x1024 thinned, backside–illuminated CCD and Johnson *UBV* and Kron–Cousins *RI* filters.

The sequences around the 20 symbiotic stars of Paper I have already been used by Munari et al. (2001) and Jurdana and Munari (2001) to investigate their long term photometric behavior on the rich collection of Asiago historical photographic plates. With other observatories with historical plate archive joining the effort, in a close future the community could have assembled complete, century-long lightcurves for a significant fraction of the symbiotic stars. Given their complex, non-periodic and usually slow photometric evolution with major outbursts appearing erratically and lasting for years or decades, the understanding of the symbiotic stars and their role in the general astrophysical context cannot progress much without a detailed knowledge of their photometric histories and habits.

2. The photometric sequences

The program symbiotic stars are listed in Table 1. An average of 11 stars around each program star have been selected to form the comparison sequences, which are given in Table 2. The stars included in the sequences have been chosen and ordered on the basis of the *B* band magnitude, because the latter is the band closest to the m_{pg} of the historical photographic observations and is the better suited to investigate the variability of symbiotic stars (cf. Kenyon 1986 and Paper I). The stars included in the comparison sequences have been checked on at least three different nights for variability (cf. column *N* of Table 2).

For 10 objects (V471 Per, GH Gem, UKS Ce1, UU Ser, DT Ser, DQ Ser, V4368 Sgr, NSV 11776, StHα 164 and LL Cas) the symbiotic star and the comparison sequence both lie inside a 6.0×6.0 arcmin field (which match in dimen-

---

Send offprint requests to: U.Munari

Table 1. List of program symbiotic stars. The coordinates for the symbiotic stars are from our observations (equinox J2000.0, mean epoch 2000.3). The e_α and e_δ columns list the errors in milliarcsec for right ascension and declination, respectively. l and b are the galactic coordinates. Columns 11 and 12 list the coordinates of the field centers in Figures 1 (zoomed-in 5.16×5.16 arcmin fields), or in Figure 2 when only the larger ones (11×11 arcmin) are available. The last column indicates which one of the *narrow* (i.e 5.16×5.16 arcmin) or *wide* (e.g. 11.4×11.4 arcmin) fields are given for the given program star in Figures 1 and 2.

name		*star coordinates*								*field center*		fig.
		α (J2000.0)	δ	α (J2000.0)	δ	e_α	e_δ	l(°)	b(°)	α (J2000.0)	δ	
V471 Per	M 1-2	29.706997	+52.896828	01 58 49.679	+52 53 48.58	26	10	133.12	–8.64	29.6949	+52.9189	n
GH Gem		106.053261	+12.059547	07 04 12.783	+12 03 34.37	11	19	203.57	+8.23	106.0525	+12.0568	n
BX Mon	AS 150	111.344833	–3.597369	07 25 22.760	–03 35 50.53	10	15	220.04	+5.88	111.3450	–3.5974	n,w
V694 Mon	MWC 560	111.463737	–7.735578	07 25 51.297	–07 44 08.08	25	15	223.76	+4.05	111.4460	–7.7380	w
TX CVn	BD+37.2318	191.175437	+36.764117	12 44 42.104	+36 45 50.82	222	90	130.93	+80.26	191.0900	+36.7144	w
IV Vir	BD–21.3873	214.142899	–21.763964	14 16 34.296	–21 45 50.27	0	4	327.88	+36.95	214.1370	–21.8900	w
UKS Ce1		243.873331	–22.204406	16 15 29.599	–22 12 15.86	72	132	353.02	+20.25	243.8810	–22.1700	n
V503 Her		264.168671	+23.303352	17 36 40.481	+23 18 12.07	21	29	47.00	+26.23	264.1040	+23.2453	w
UU Ser	AS 327	265.660889	–15.412530	17 42 38.613	–15 24 45.11	48	58	11.23	+7.62	265.6610	–15.4130	n
DT Ser		270.467092	–1.438460	18 01 52.102	–01 26 18.46	57	168	25.92	+10.34	270.4700	–1.4425	n
YY Her	AS 297	273.642548	20.989248	18 14 34.212	+20 59 21.29	15	36	48.14	+17.24	273.6320	+21.0005	n,w
StHα 149		274.732819	+27.441065	18 18 55.877	+27 26 27.83	24	11	54.81	+18.77	274.7440	+27.4200	w
DQ Ser		281.165192	+5.047093	18 44 39.646	+05 02 49.53	0	15	36.67	+3.81	281.1710	+5.0652	n
V4368 Sgr	Wakuda's	283.667908	–19.699884	18 54 40.298	–19 41 59.58	63	18	15.59	–9.53	283.6630	–19.7010	n
NSV 11776		287.481079	–2.793644	19 09 55.459	–02 47 37.12	48	26	32.55	–5.39	287.5100	–2.7720	n
StHα 164		292.173553	–6.064318	19 28 41.653	–06 03 51.54	22	19	31.73	–11.03	292.1395	–6.0682	n
StHα 180		309.835846	–5.287825	20 39 20.603	–05 17 16.17	16	37	40.89	–26.36	309.9140	–5.3413	w
ER Del	BD+8.4506	310.693756	+8.687244	20 42 46.501	+08 41 14.08	22	36	54.46	–20.00	310.6560	+8.6738	w
StHα 190	TYC 547 712 1	325.437073	+2.731861	21 41 44.898	+02 43 54.70	0	36	58.42	–35.43	325.3711	+2.7933	w
LL Cas	K 4-46	347.332520	+54.751438	23 09 19.805	+54 45 05.18	29	6	108.47	–5.23	347.2700	+54.7900	n

sion the Allen 1984 finding charts) and are plotted in Figure 1. For 8 brighter objects (V694 Mon, TX CVn, IV Vir, V503 Her, ER Del, StHα 149, StHα 180 and StHα 190) the comparison sequences are distributed over a 11.4×11.4 arcmin area and are presented in Figure 2. The remaining two program stars (BX Mon and YY Her) are hybrid cases having their fainter comparison stars identified in Figure 1 and the brighter, more distant ones in Figure 2.

Finally, for three objects (TX CVn, ER Del and StHα 190) there are no stars in the explored 11.4×11.4 arcmin fields brighter than the symbiotic star itself (particularly important for estimates on photographic plates). For these program stars we have selected from the Hipparcos/Tycho Catalogue suitable, nearby and non-variable stars to complement our comparison sequences. The selected Hipparcos/Tycho stars are listed in Table 3, where their B_T, V_T magnitudes have been transformed to the standard Johnson's UBV system following the transformation equations provided in the explanatory notes of the Hipparcos/Tycho Catalogue:

$$V_J \;=\; V_T \;-\; 0.090 \times (B-T)_T \qquad (1)$$

$$(B-V)_J \;=\; 0.850 \times (B-V)_T \qquad (2)$$

For sake of completeness we have also reported the U, R_C and I_C values as estimated from the observed $B-V$ color using the extensively calibrated relations of Caldwell et al. (1993). These transformation relations between colors in the $UBV(RI)_\mathrm{C}$ system gives accurate results *provided* that the stars belong to the solar neighborhood population, the reddening is not large and the luminosity class is roughly known. We have assumed all the selected Tycho objects to be nearby main sequence stars. Thus, the U, R_C and I_C magnitudes reported in the last three columns of Table 3 may be considered as guidelines useful for estimating photographic plates.

3. Notes on individual symbiotic stars

A few individual notes follow on the basic photometric behavior of the program symbiotic stars. They are intended as simple guidelines for observers planning an observational campaign and cannot by any means be considered as an exhaustive review. A collected history of many symbiotic stars and a compilation of photometric information available in literature has been presented by Kenyon (1983, 1986).

While calibrating the photometric comparison sequences for this paper we have also collected data on the program symbiotic stars. These $UBV(RI)_\mathrm{C}$ data will be presented and discussed elsewhere together with similar data for more than 130 symbiotic stars observed from ESO and Asiago. From such $UBV(RI)_\mathrm{C}$ survey of symbiotic stars (hereafter indicated as MHZ: Munari, Henden and Zwitter, in preparation), we report in the following average V and $B-V$ values for the year 2000 for the reader's benefit. Another large multi-epoch $UBV(RI)_\mathrm{C}$ and $JHKL$ photometric survey has been presented by

Table 2. The comparison sequences around the 20 program symbiotic stars. Positions for J2000 equinox and a mean epoch 2000.3 are given (errors in arcsec are derived from different exposures in different bands), together with magnitudes and colors (errors in magnitudes). The stars in each sequence are ordered according to fainter B magnitudes. N is the number of observing nights. The sequences are listed in the same order as the symbiotic stars in Table 1. For BX Mon and YY Her, the comparison stars lying outside the field of view of Figure 1 and plotted in Figure 2 are given at the bottom of the sequence, separated by an empty line.

	α_{J2000}	(±″)	δ_{J2000}	(±″)	N	B	(±)	V	(±)	B-V	(±)	U-B	(±)	V-R_C	(±)	R-I_C	(±)
V471 Per	29.628655	0.026	52.871425	0.030	3	11.053	0.016	10.739	0.013	0.313	0.010	0.198	0.045	0.140	0.016	0.158	0.021
	29.742436	0.060	52.966899	0.006	3	11.826	0.015	11.065	0.012	0.762	0.008	0.346	0.039	0.426	0.018	0.410	0.022
	29.676214	0.020	52.893011	0.046	3	12.046	0.015	11.479	0.012	0.567	0.009	0.071	0.046	0.331	0.019	0.354	0.023
	29.690441	0.045	52.886159	0.011	3	12.495	0.011	11.030	0.008	1.465	0.008	1.610	0.029	0.757	0.019	0.676	0.027
	29.767922	0.045	52.915730	0.022	3	13.223	0.017	12.769	0.014	0.454	0.010	0.216	0.041	0.263	0.022	0.292	0.025
	29.630439	0.015	52.920698	0.007	3	14.193	0.012	13.322	0.010	0.871	0.007	0.361	0.040	0.491	0.014	0.470	0.022
	29.726797	0.048	52.938242	0.026	3	14.459	0.020	13.705	0.014	0.753	0.015	0.309	0.043	0.428	0.011	0.424	0.018
	29.622817	0.007	52.936677	0.030	3	14.765	0.032	12.938	0.031	1.827	0.007	2.039	0.076	1.110	0.016	1.262	0.038
	29.719051	0.031	52.869529	0.009	3	15.516	0.010	14.427	0.005	1.089	0.009	0.624	0.031	0.586	0.020	0.594	0.023
	29.621291	0.016	52.963326	0.013	3	16.044	0.008	15.203	0.006	0.841	0.005	0.307	0.032	0.493	0.023	0.460	0.036
	29.730309	0.015	52.956186	0.119	3	17.346	0.014	16.662	0.013	0.685	0.006	0.105	0.060	0.440	0.036		
	29.683036	0.106	52.924469	0.166	3	18.203	0.033	17.428	0.018	0.775	0.027	0.219	0.078	0.509	0.042		
GH Gem	106.099553	0.005	12.026304	0.007	3	13.235	0.014	12.851	0.006	0.384	0.013	–0.015	0.017	0.233	0.017	0.260	0.008
	106.012230	0.026	12.073016	0.007	3	14.099	0.018	13.053	0.005	1.046	0.017	0.703	0.024	0.576	0.012	0.527	0.014
	106.002208	0.013	12.014788	0.019	3	14.401	0.018	13.863	0.016	0.538	0.009	0.019	0.018	0.302	0.023	0.308	0.011
	106.028326	0.008	12.056812	0.007	3	14.875	0.016	14.249	0.006	0.625	0.015	0.114	0.012	0.362	0.019	0.349	0.012
	106.046243	0.008	12.022571	0.011	3	15.037	0.023	14.023	0.008	1.014	0.021	0.676	0.023	0.543	0.010	0.514	0.014
	106.028621	0.023	12.019662	0.007	3	15.276	0.020	14.791	0.013	0.486	0.015	–0.086	0.018	0.318	0.007	0.325	0.003
	106.020185	0.000	12.073849	0.015	3	15.823	0.023	15.161	0.013	0.661	0.019	0.109	0.016	0.399	0.011	0.386	0.007
	106.092335	0.012	12.075945	0.022	3	16.528	0.023	15.732	0.011	0.796	0.020	0.233	0.010	0.473	0.015	0.460	0.027
	106.069551	0.028	12.079250	0.031	3	17.445	0.017	16.329	0.000	1.116	0.017	0.957	0.017	0.681	0.020	0.557	0.026
	106.012124	0.030	12.084177	0.029	3	18.281	0.029	17.423	0.028	0.858	0.008	0.362	0.036	0.477	0.026	0.508	0.067
	106.033144	0.024	12.029796	0.075	3	19.560	0.027	18.794	0.026	0.766	0.006						
BX Mon	111.358707	0.024	–3.588261	0.008	3	12.809	0.011	12.418	0.008	0.391	0.007	–0.039	0.007	0.260	0.012	0.252	0.008
	111.366461	0.015	–3.591303	0.004	3	13.487	0.015	12.924	0.010	0.563	0.011	0.036	0.006	0.352	0.012	0.331	0.017
	111.348168	0.014	–3.559311	0.030	3	14.298	0.003	13.689	0.000	0.609	0.003	0.097	0.020	0.378	0.008	0.341	0.011
	111.349879	0.013	–3.619038	0.000	3	15.138	0.021	13.968	0.019	1.170	0.010	0.988	0.083	0.632	0.006	0.573	0.017
	111.308305	0.006	–3.614084	0.019	3	16.069	0.020	14.958	0.015	1.111	0.014	0.718	0.019	0.624	0.005	0.579	0.024
	111.352330	0.064	–3.556165	0.036	3	17.303	0.030	16.655	0.011	0.648	0.027	0.069	0.088	0.394	0.056	0.400	0.043
	111.342510	0.054	–3.631814	0.029	3	18.181	0.063	17.545	0.026	0.636	0.058						
	111.340927	0.022	–3.519518	0.029	3	10.923	0.015	10.469	0.013	0.454	0.009	–0.026	0.011	0.319	0.006	0.292	0.008
	111.317385	0.006	–3.668403	0.011	3	11.166	0.049	10.238	0.039	0.928	0.029	0.612	0.038	0.525	0.009	0.483	0.022
	111.425489	0.041	–3.509757	0.017	3	11.306	0.018	10.900	0.013	0.406	0.013	0.090	0.015	0.271	0.011	0.246	0.015
	111.413675	0.018	–3.620066	0.019	3	12.155	0.009	11.912	0.008	0.243	0.005	0.133	0.009	0.131	0.009	0.143	0.004
V694 Mon	111.366562	0.069	–7.744997	0.218	3	9.919	0.080	8.947	0.074	0.972	0.029	1.564	0.066	0.794	0.031	0.740	0.048
	111.502931	0.014	–7.759721	0.021	3	10.767	0.006	10.696	0.005	0.071	0.004	–0.026	0.011	0.032	0.006	0.062	0.009
	111.430409	0.014	–7.701277	0.018	3	12.359	0.016	11.286	0.014	1.073	0.006	0.890	0.057	0.560	0.008	0.481	0.011
	111.431041	0.016	–7.786008	0.007	3	12.442	0.008	11.969	0.008	0.474	0.001	–0.062	0.016	0.296	0.010	0.291	0.011
	111.433535	0.008	–7.724268	0.014	3	12.861	0.012	12.579	0.011	0.283	0.005	0.107	0.018	0.176	0.004	0.169	0.005
	111.451486	0.011	–7.690620	0.033	3	13.413	0.013	13.011	0.013	0.403	0.002	0.194	0.019	0.235	0.006	0.215	0.008
	111.408457	0.006	–7.685928	0.026	3	14.422	0.009	13.806	0.006	0.615	0.007	0.130	0.020	0.372	0.012	0.311	0.002
	111.479585	0.018	–7.644175	0.034	3	15.144	0.021	14.018	0.014	1.125	0.016	1.130	0.081	0.616	0.004	0.524	0.005
	111.466737	0.043	–7.751590	0.052	3	16.532	0.011	15.921	0.009	0.610	0.007	0.041	0.032	0.412	0.015	0.338	0.067
	111.434163	0.096	–7.638300	0.061	2	17.420	0.026	17.006	0.008	0.414	0.025	0.017	0.016	0.435	0.004	0.423	0.067
TX CVn	191.007778	0.102	36.661808	0.050	3	12.353	0.027	11.335	0.022	1.018	0.016	0.873	0.052	0.555	0.009	0.459	0.014
	191.117416	0.282	36.646777	0.033	3	13.120	0.023	12.402	0.014	0.718	0.018	0.291	0.026	0.405	0.009	0.344	0.016
	190.999211	0.108	36.782073	0.058	3	15.778	0.020	15.197	0.013	0.581	0.015	–0.025	0.019	0.364	0.040	0.307	0.026
	190.977708	0.182	36.676402	0.057	3	15.862	0.031	14.649	0.023	1.213	0.020	1.163	0.043	0.790	0.002	0.735	0.015
	191.111305	0.555	36.805599	0.059	3	17.442	0.034	16.783	0.011	0.659	0.032			0.534	0.078	0.526	0.080
IV Vir	214.178196	0.045	–21.899852	0.031	3	11.298	0.014	10.665	0.014	0.633	0.003	0.020	0.012	0.384	0.016	0.399	0.022
	214.206417	0.047	–21.889686	0.038	3	13.053	0.016	12.462	0.016	0.592	0.003	0.097	0.004	0.342	0.012	0.362	0.026
	214.211505	0.018	–21.748427	0.021	3	13.265	0.017	12.085	0.016	1.180	0.006	1.123	0.055	0.655	0.010	0.604	0.021
	214.185072	0.035	–21.878503	0.023	3	13.592	0.014	12.925	0.014	0.667	0.001	0.148	0.005	0.387	0.011	0.397	0.026
	214.132316	0.031	–21.892612	0.033	3	14.400	0.012	13.492	0.006	0.907	0.010	0.462	0.015	0.523	0.018	0.513	0.021
	214.164374	0.018	–21.763064	0.022	3	15.062	0.016	13.606	0.009	1.456	0.013	1.690	0.060	0.806	0.004	0.743	0.021
	214.244929	0.033	–21.729333	0.022	3	15.893	0.018	14.840	0.011	1.054	0.014	0.977	0.069	0.640	0.007	0.564	0.018
	214.154988	0.018	–21.738099	0.005	3	16.873	0.043	16.094	0.032	0.779	0.029	0.170	0.055	0.465	0.042	0.470	0.008
	214.218255	0.033	–21.740755	0.042	3	17.479	0.050	16.814	0.032	0.665	0.038	0.036	0.091	0.402	0.035		
	214.161366	0.066	–21.859966	0.020	3	17.927	0.072	17.278	0.063	0.649	0.036	0.060	0.064	0.415	0.023		

Table 2. (*continues*)

	α_{J2000}	(±″)	δ_{J2000}	(±″)	N	*B*	(±)	*V*	(±)	*B-V*	(±)	*U-B*	(±)	*V-R*$_C$	(±)	*R-I*$_C$	(±)
UKS Ce-1	243.909575	0.015	–22.169717	0.011	3	12.214	0.050	10.839	0.040	1.374	0.030	1.614	0.013	0.793	0.031	0.730	0.058
	243.887957	0.000	–22.128925	0.022	3	12.603	0.039	12.025	0.021	0.578	0.034	0.101	0.004	0.399	0.015	0.371	0.015
	243.867748	0.015	–22.153768	0.013	3	14.367	0.035	13.209	0.020	1.158	0.029	1.029	0.019	0.667	0.016	0.598	0.017
	243.929504	0.015	–22.187549	0.015	3	14.992	0.033	13.902	0.019	1.090	0.027	1.026	0.015	0.691	0.017	0.606	0.021
	243.909792	0.000	–22.132813	0.015	3	15.899	0.028	15.184	0.014	0.715	0.024	0.237	0.004	0.446	0.009	0.428	0.017
	243.834615	0.015	–22.142214	0.036	3	16.973	0.014	16.194	0.006	0.778	0.013	0.262	0.046	0.502	0.010	0.432	0.007
	243.832829	0.021	–22.172815	0.029	3	17.544	0.027	16.441	0.025	1.102	0.011	0.876	0.056	0.711	0.015	0.617	0.015
	243.849418	0.000	–22.207103	0.048	3	18.001	0.039	17.246	0.034	0.754	0.019	0.056	0.045	0.518	0.043	0.519	0.080
	243.892654	0.066	–22.141102	0.040	3	18.340	0.041	17.709	0.029	0.631	0.029	0.072	0.021	0.459	0.048		
	243.930085	0.128	–22.182387	0.053	3	18.555	0.037	17.764	0.011	0.791	0.036			0.558	0.023		
	243.900625	0.130	–22.198956	0.050	3	19.053	0.056	18.411	0.054	0.642	0.015			0.421	0.028		
V503 Her	264.027673	0.015	23.280243	0.018	3	11.910	0.013	11.165	0.011	0.745	0.006	0.308	0.019	0.429	0.001	0.368	0.008
	264.009083	0.000	23.189487	0.048	3	13.050	0.011	11.812	0.010	1.238	0.005	1.220	0.012	0.662	0.003	0.587	0.010
	264.148133	0.000	23.292411	0.025	3	13.482	0.012	12.306	0.011	1.176	0.005	1.098	0.013	0.645	0.005	0.575	0.007
	264.072320	0.015	23.236170	0.012	3	13.607	0.011	12.651	0.010	0.956	0.005	0.695	0.014	0.534	0.004	0.457	0.011
	264.129121	0.015	23.225857	0.015	3	14.090	0.012	12.950	0.012	1.141	0.002	1.098	0.016	0.601	0.007	0.538	0.004
	264.203001	0.036	23.174778	0.038	3	14.325	0.028	13.227	0.028	1.099	0.005	0.762	0.012	0.632	0.007	0.598	0.010
	264.071191	0.021	23.173971	0.046	3	14.982	0.008	13.905	0.008	1.077	0.002	0.899	0.012	0.590	0.006	0.510	0.006
	264.204881	0.021	23.185875	0.032	3	15.278	0.009	14.339	0.008	0.939	0.005	0.554	0.018	0.519	0.008	0.486	0.014
	264.193508	0.033	23.302856	0.038	3	15.953	0.011	15.045	0.005	0.907	0.010	0.552	0.015	0.510	0.004	0.474	0.011
	264.020087	0.015	23.332722	0.014	3	16.683	0.013	15.978	0.006	0.705	0.011	0.215	0.022	0.457	0.018	0.388	0.023
	264.071722	0.025	23.293496	0.033	3	17.460	0.011	16.690	0.009	0.771	0.006	0.228	0.073	0.461	0.014	0.391	0.055
	264.186373	0.051	23.160526	0.019	3	18.095	0.018	17.469	0.009	0.625	0.016	0.043	0.048	0.404	0.018	0.400	0.026
UU Ser	265.670381	0.015	–15.422239	0.015	3	12.831	0.071	11.740	0.055	1.091	0.045	0.948	0.024	0.733	0.015	0.633	0.023
	265.682409	0.022	–15.461299	0.049	3	13.579	0.023	12.337	0.013	1.242	0.019	0.946	0.015	0.683	0.008	0.646	0.003
	265.643250	0.026	–15.369001	0.055	3	14.260	0.023	13.443	0.013	0.817	0.019	0.266	0.016	0.477	0.010	0.457	0.001
	265.675619	0.022	–15.417809	0.029	3	14.936	0.024	14.366	0.014	0.570	0.020	0.221	0.008	0.350	0.010	0.368	0.002
	265.636263	0.022	–15.416921	0.011	3	15.463	0.034	14.032	0.016	1.431	0.030	1.149	0.025	0.803	0.014	0.752	0.002
	265.684869	0.000	–15.415259	0.018	3	16.045	0.038	14.659	0.023	1.385	0.030	1.212	0.033	0.780	0.014	0.732	0.006
	265.662814	0.022	–15.434393	0.017	3	16.632	0.030	15.144	0.017	1.489	0.025	1.630	0.070	0.810	0.012	0.727	0.006
	265.668203	0.114	–15.424836	0.038	4	17.082	0.032	15.869	0.024	1.212	0.022	0.796	0.045	0.705	0.022	0.681	0.021
	265.675867	0.015	–15.387037	0.077	4	17.550	0.023	16.144	0.016	1.405	0.018	1.255	0.048	0.792	0.022	0.730	0.008
	265.617434	0.053	–15.405598	0.040	3	18.074	0.018	16.601	0.013	1.472	0.013			0.810	0.014	0.724	0.021
	265.659591	0.015	–15.391547	0.060	3	18.418	0.044	17.494	0.032	0.924	0.030	0.208	0.055	0.548	0.020	0.585	0.033
	265.709505	0.070	–15.439125	0.097	3	19.020	0.063	17.999	0.030	1.021	0.056	0.375	0.083	0.627	0.066	0.447	0.029
	265.651102	0.130	–15.414328	0.060	3	20.114	0.088	18.790	0.023	1.324	0.085			0.779	0.047	0.470	0.042
DT Ser	270.464228	0.016	–1.489726	0.019	3	11.323	0.045	10.870	0.042	0.453	0.016	–0.163	0.054	0.523	0.064		
	270.487555	0.022	–1.416493	0.015	3	13.781	0.008	12.351	0.005	1.430	0.007	1.201	0.023	0.800	0.004	0.740	0.008
	270.461621	0.016	–1.481411	0.011	3	14.499	0.009	13.573	0.009	0.926	0.003	0.311	0.008	0.581	0.002	0.577	0.008
	270.518816	0.016	–1.480062	0.012	3	14.772	0.006	13.212	0.005	1.560	0.005	1.135	0.013	0.914	0.004	0.885	0.006
	270.516067	0.000	–1.459193	0.015	3	15.274	0.010	14.419	0.006	0.855	0.008	0.233	0.010	0.539	0.006	0.549	0.006
	270.485143	0.000	–1.435720	0.007	3	15.560	0.010	14.701	0.008	0.860	0.006	0.249	0.003	0.540	0.007	0.539	0.007
	270.458001	0.022	–1.451025	0.021	3	15.808	0.013	14.942	0.010	0.866	0.009	0.224	0.017	0.551	0.007	0.555	0.002
	270.443136	0.022	–1.434817	0.004	3	16.429	0.029	15.414	0.023	1.014	0.017	0.343	0.020	0.635	0.012	0.621	0.029
	270.420322	0.000	–1.429559	0.023	3	17.207	0.011	15.979	0.009	1.228	0.007	0.516	0.019	0.740	0.008	0.721	0.019
	270.507235	0.016	–1.470945	0.089	3	18.520	0.016	17.281	0.014	1.238	0.008	0.599	0.091	0.730	0.017	0.754	0.054
	270.434268	0.126	–1.463158	0.105	3	19.417	0.076	18.256	0.059	1.161	0.048	0.602	0.099	0.745	0.032		
YY Her	273.580812	0.000	21.047395	0.004	3	11.759	0.063	11.298	0.059	0.461	0.021	–0.027	0.036	0.391	0.053	0.283	0.008
	273.608304	0.021	21.020305	0.011	3	12.672	0.007	12.040	0.000	0.632	0.007	0.198	0.010	0.362	0.008	0.318	0.005
	273.641301	0.015	21.028536	0.007	3	13.365	0.007	12.392	0.006	0.973	0.002	0.664	0.006	0.538	0.006	0.490	0.007
	273.610287	0.000	20.991635	0.033	3	13.677	0.007	13.043	0.006	0.634	0.004	0.081	0.008	0.384	0.010	0.370	0.007
	273.602062	0.015	21.005915	0.021	3	14.127	0.007	13.235	0.006	0.892	0.004	0.648	0.007	0.486	0.003	0.400	0.013
	273.680542	0.021	21.013722	0.014	3	14.617	0.009	13.711	0.008	0.906	0.005	0.589	0.007	0.518	0.006	0.469	0.005
	273.684536	0.026	21.003014	0.019	3	15.467	0.003	14.710	0.000	0.757	0.003	0.304	0.014	0.419	0.007	0.398	0.012
	273.655898	0.000	20.995510	0.022	3	15.965	0.009	14.928	0.000	1.038	0.009	0.630	0.013	0.563	0.003	0.558	0.003
	273.669571	0.015	20.951469	0.029	3	16.640	0.019	15.547	0.011	1.093	0.015	0.698	0.022	0.609	0.014	0.574	0.010
	273.603960	0.015	20.992417	0.048	3	17.378	0.007	16.576	0.006	0.802	0.003	0.369	0.016	0.441	0.008	0.371	0.032
	273.676715	0.000	20.954210	0.040	3	18.665	0.007	17.933	0.000	0.732	0.007	0.160	0.088	0.378	0.067		
	273.614264	0.077	21.028297	0.051	3	19.632	0.017	18.372	0.017	1.260	0.003			0.766	0.036	0.768	0.052
	273.701957	0.021	21.100363	0.023	3	11.269	0.058	10.459	0.038	0.810	0.044	0.574	0.081				
	273.603793	0.000	21.089425	0.008	3	12.078	0.035	11.605	0.033	0.473	0.013	–0.001	0.010	0.311	0.029	0.279	0.005
StHα 149	274.773318	0.024	27.347397	0.008	3	11.515	0.036	11.089	0.036	0.427	0.008	–0.062	0.034	0.314	0.031	0.268	0.015
	274.817296	0.020	27.407419	0.023	3	12.665	0.015	11.449	0.012	1.216	0.009	1.109	0.012	0.671	0.003	0.606	0.017
	274.830655	0.028	27.451680	0.014	3	13.096	0.010	12.455	0.006	0.641	0.008	0.102	0.013	0.406	0.009	0.388	0.016
	274.850229	0.031	27.460383	0.025	3	13.432	0.020	12.024	0.019	1.408	0.007	1.660	0.006	0.759	0.002	0.655	0.014
	274.763543	0.014	27.389579	0.011	3	13.629	0.019	13.260	0.017	0.369	0.007	0.065	0.021	0.237	0.011	0.237	0.018
	274.707621	0.020	27.372007	0.018	3	14.059	0.010	13.385	0.006	0.674	0.008	0.182	0.011	0.379	0.005	0.339	0.016
	274.789145	0.000	27.405816	0.019	3	14.533	0.016	13.249	0.014	1.284	0.009	1.312	0.010	0.709	0.006	0.624	0.015
	274.724127	0.024	27.441575	0.018	3	15.247	0.012	14.415	0.000	0.832	0.012	0.320	0.027	0.496	0.004	0.448	0.021
	274.696710	0.000	27.385057	0.027	3	16.009	0.020	15.232	0.014	0.778	0.014	0.315	0.013	0.441	0.011	0.401	0.014
	274.744175	0.020	27.406061	0.029	3	17.013	0.010	16.236	0.006	0.777	0.008	0.358	0.005	0.449	0.019	0.382	0.030
	274.791115	0.031	27.429197	0.025	3	18.036	0.015	17.362	0.006	0.674	0.013	0.092	0.005	0.423	0.007	0.412	0.042

Table 2. (*continues*)

	α_{J2000}	(±″)	δ_{J2000}	(±″)	N	*B*	(±)	*V*	(±)	*B-V*	(±)	*U-B*	(±)	*V-R*$_C$	(±)	*R-I*$_C$	(±)
DQ Ser	281.149359	0.016	5.068693	0.011	3	12.947	0.007	12.448	0.006	0.499	0.004	0.276	0.011	0.291	0.006	0.311	0.007
	281.165275	0.000	5.098965	0.004	3	13.722	0.007	13.034	0.006	0.688	0.003	0.108	0.006	0.415	0.003	0.405	0.008
	281.155571	0.000	5.047113	0.011	3	14.121	0.002	13.378	0.000	0.743	0.002	0.141	0.008	0.460	0.006	0.444	0.005
	281.219250	0.027	5.037429	0.030	3	14.480	0.007	13.711	0.005	0.769	0.005	0.280	0.011	0.471	0.005	0.491	0.013
	281.141626	0.016	5.068619	0.004	3	15.411	0.010	14.256	0.010	1.155	0.002	0.652	0.010	0.712	0.002	0.707	0.009
	281.190869	0.016	5.082255	0.004	3	16.023	0.008	14.861	0.000	1.162	0.008	0.603	0.012	0.698	0.010	0.674	0.003
	281.180895	0.016	5.090452	0.012	3	16.419	0.015	15.411	0.009	1.008	0.012	0.404	0.007	0.608	0.009	0.626	0.015
	281.201265	0.016	5.015257	0.041	3	16.802	0.003	15.598	0.000	1.204	0.003	0.638	0.032	0.752	0.007	0.783	0.014
	281.137855	0.022	5.080730	0.007	3	17.396	0.018	16.174	0.011	1.222	0.014	0.585	0.018	0.768	0.008	0.724	0.007
	281.213197	0.042	5.057650	0.012	3	18.017	0.020	16.592	0.017	1.425	0.012	0.686	0.039	0.899	0.023	0.911	0.025
	281.187409	0.050	5.019560	0.031	3	18.714	0.027	17.398	0.009	1.316	0.025			0.817	0.034	0.827	0.053
	281.168058	0.063	5.111658	0.066	3	19.322	0.020	17.876	0.013	1.446	0.016			0.840	0.030	0.824	0.073
V4368 Sgr	283.684197	0.084	–19.650244	0.044	3	9.752	0.067	9.495	0.044	0.257	0.051	0.036	0.081	0.164	0.055	0.151	0.037
	283.687833	0.052	–19.752327	0.048	3	10.586	0.049	9.885	0.044	0.701	0.021	0.226	0.013	0.406	0.019	0.353	0.005
	283.654077	0.056	–19.724014	0.038	3	10.899	0.011	10.672	0.009	0.227	0.006	0.099	0.014	0.105	0.013	0.135	0.017
	283.678192	0.063	–19.681256	0.012	3	12.836	0.017	11.835	0.014	1.001	0.010	0.656	0.008	0.574	0.003	0.526	0.014
	283.692869	0.070	–19.684675	0.004	3	13.436	0.020	12.880	0.008	0.556	0.019	0.185	0.008	0.342	0.009	0.324	0.018
	283.640961	0.039	–19.735129	0.049	3	14.072	0.017	12.342	0.012	1.730	0.012	1.852	0.035	1.136	0.012	1.362	0.019
	283.649870	0.060	–19.729471	0.048	3	14.347	0.011	13.094	0.006	1.253	0.009	1.133	0.013	0.656	0.010	0.581	0.008
	283.621275	0.037	–19.703378	0.022	3	14.934	0.022	13.555	0.014	1.379	0.017	1.416	0.008	0.774	0.007	0.707	0.030
	283.670409	0.050	–19.696361	0.043	3	15.890	0.017	14.643	0.008	1.248	0.015	1.080	0.060	0.712	0.013	0.614	0.037
	283.673713	0.058	–19.676121	0.017	3	16.843	0.014	15.760	0.009	1.083	0.011	0.667	0.079	0.643	0.021	0.580	0.051
	283.699764	0.150	–19.688126	0.026	3	18.376	0.033	17.416	0.023	0.959	0.024			0.484	0.091		
NSV 11776	287.490842	0.042	–2.722755	0.023	3	11.464	0.068	11.028	0.049	0.435	0.046	0.070	0.077	0.560	0.022	0.588	0.039
	287.462924	0.073	–2.820523	0.055	3	13.467	0.001	12.186	0.000	1.281	0.001	0.856	0.007	0.745	0.002	0.717	0.014
	287.544135	0.035	–2.804842	0.026	3	13.784	0.005	12.323	0.005	1.462	0.002	1.155	0.018	0.822	0.002	0.773	0.009
	287.555525	0.059	–2.731023	0.025	3	14.113	0.005	13.400	0.005	0.714	0.001	0.377	0.008	0.433	0.004	0.462	0.007
	287.495198	0.027	–2.784933	0.022	3	14.590	0.002	13.076	0.000	1.515	0.002	1.282	0.009	0.853	0.003	0.787	0.010
	287.507630	0.039	–2.807635	0.040	3	15.209	0.007	14.285	0.006	0.923	0.002	0.286	0.015	0.561	0.007	0.543	0.014
	287.461671	0.078	–2.816121	0.036	3	15.349	0.009	13.841	0.005	1.507	0.008	1.296	0.012	0.849	0.003	0.771	0.012
	287.554699	0.027	–2.757456	0.014	3	15.957	0.010	14.685	0.008	1.272	0.006	0.797	0.010	0.726	0.006	0.691	0.013
	287.501565	0.000	–2.761773	0.018	3	16.565	0.008	15.577	0.000	0.989	0.008	0.450	0.012	0.592	0.003	0.569	0.004
	287.528513	0.032	–2.814099	0.025	3	17.451	0.021	16.466	0.021	0.985	0.003	0.372	0.076	0.562	0.018	0.605	0.009
	287.538660	0.000	–2.778093	0.076	3	18.633	0.048	17.473	0.026	1.160	0.041	0.662	0.045	0.656	0.013	0.675	0.077
	287.520766	0.067	–2.727241	0.047	3	19.381	0.029	18.238	0.013	1.143	0.027			0.676	0.037		
StHα 164	292.091999	0.022	–6.069107	0.011	3	13.256	0.024	11.854	0.017	1.402	0.016	1.261	0.005	0.790	0.012	0.717	0.017
	292.091879	0.016	–6.053229	0.008	3	14.096	0.007	12.517	0.005	1.579	0.005	1.497	0.009	0.890	0.007	0.793	0.008
	292.173020	0.016	–6.041192	0.007	3	15.007	0.006	13.572	0.005	1.435	0.003	1.202	0.011	0.795	0.002	0.751	0.011
	292.187958	0.000	–6.046001	0.008	3	15.514	0.007	14.646	0.006	0.868	0.004	0.268	0.006	0.534	0.007	0.551	0.007
	292.099813	0.022	–6.069879	0.004	3	15.897	0.004	13.992	0.000	1.905	0.004	2.307	0.102	1.131	0.005	1.154	0.013
	292.184817	0.000	–6.096215	0.015	3	16.053	0.013	14.130	0.009	1.922	0.009	2.216	0.013	1.126	0.003	1.138	0.010
	292.172637	0.016	–6.074125	0.015	3	16.814	0.013	15.335	0.009	1.478	0.010	1.266	0.093	0.821	0.013	0.766	0.005
	292.189125	0.016	–6.042779	0.104	3	17.559	0.016	15.996	0.009	1.563	0.013	1.544	0.071	0.873	0.007	0.826	0.003
	292.186942	0.022	–6.064704	0.026	3	18.347	0.011	17.224	0.006	1.123	0.010	0.711	0.085	0.646	0.041	0.636	0.063
	292.183627	0.076	–6.087377	0.098	3	19.428	0.079	18.244	0.068	1.184	0.041						
StHα 180	309.892197	0.084	–5.386119	0.065	3	12.211	0.013	11.246	0.013	0.965	0.002	0.635	0.008	0.523	0.002	0.479	0.017
	309.910277	0.116	–5.409089	0.098	3	12.708	0.022	11.891	0.021	0.818	0.008	0.340	0.009	0.476	0.006	0.442	0.013
	309.909469	0.079	–5.383065	0.073	3	13.466	0.017	12.036	0.014	1.430	0.010	1.703	0.007	0.783	0.005	0.707	0.018
	309.925320	0.126	–5.417838	0.125	3	13.897	0.012	12.840	0.011	1.057	0.005	0.936	0.003	0.632	0.006	0.523	0.008
	310.000786	0.050	–5.354213	0.117	3	14.296	0.019	13.188	0.017	1.108	0.009	0.995	0.005	0.574	0.008	0.537	0.017
	309.940284	0.027	–5.254226	0.000	3	14.562	0.023	13.955	0.020	0.607	0.010	0.137	0.014	0.349	0.006	0.338	0.011
	309.864049	0.091	–5.401862	0.078	3	15.250	0.019	14.326	0.017	0.924	0.009	0.569	0.005	0.513	0.011	0.479	0.026
	309.971215	0.000	–5.271978	0.019	3	15.933	0.013	15.342	0.006	0.591	0.011	–0.015	0.020	0.362	0.003	0.373	0.013
	309.883393	0.128	–5.410697	0.079	3	17.273	0.016	16.285	0.006	0.988	0.014	0.673	0.037	0.577	0.012	0.487	0.003
	309.825702	0.047	–5.299343	0.052	3	18.289	0.040	17.828	0.036	0.461	0.018	–0.313	0.072	0.320	0.036	0.415	0.074
ER Del	310.627383	0.016	8.594752	0.000	3	12.477	0.008	11.472	0.005	1.005	0.006	0.689	0.012	0.551	0.011	0.526	0.008
	310.542227	0.044	8.620547	0.017	3	12.529	0.009	11.053	0.008	1.475	0.004	1.836	0.008	0.794	0.005	0.691	0.010
	310.700265	0.027	8.667971	0.032	3	13.068	0.010	11.674	0.008	1.394	0.006	1.632	0.015	0.745	0.009	0.658	0.016
	310.532460	0.031	8.556914	0.026	3	13.389	0.009	12.026	0.009	1.363	0.003	1.575	0.006	0.732	0.006	0.623	0.009
	310.514066	0.041	8.662159	0.004	3	14.398	0.012	13.495	0.000	0.903	0.012	0.590	0.004	0.493	0.013	0.426	0.007
	310.611443	0.031	8.616479	0.004	3	15.406	0.004	14.436	0.000	0.971	0.004	0.832	0.052	0.576	0.020	0.491	0.015
	310.529308	0.059	8.710606	0.038	3	16.395	0.014	15.666	0.009	0.729	0.011	0.304	0.029	0.372	0.043	0.354	0.019
	310.517797	0.137	8.678990	0.088	3	18.067	0.025	16.897	0.024	1.170	0.009			0.635	0.010		

Table 2. (*continues*)

	α_{J2000}	(±″)	δ_{J2000}	(±″)	N	*B*	(±)	*V*	(±)	*B-V*	(±)	*U-B*	(±)	*V-R*$_C$	(±)	*R-I*$_C$	(±)
StHα 190	325.389967	0.032	2.886261	0.044	3	11.690	0.011	10.740	0.008	0.950	0.008	0.707	0.010	0.528	0.007	0.460	0.010
	325.316049	0.000	2.814327	0.034	3	11.748	0.008	10.353	0.000	1.396	0.008	1.615	0.006	0.747	0.007	0.631	0.010
	325.294278	0.027	2.764911	0.025	3	12.519	0.018	11.809	0.016	0.710	0.009	0.296	0.008	0.407	0.009	0.359	0.008
	325.322103	0.027	2.835277	0.044	3	12.943	0.005	12.166	0.005	0.777	0.002	0.375	0.005	0.441	0.008	0.376	0.004
	325.320818	0.027	2.862457	0.036	3	13.484	0.011	12.822	0.008	0.662	0.007	0.120	0.011	0.396	0.010	0.346	0.006
	325.431393	0.016	2.701567	0.029	3	13.760	0.012	13.378	0.012	0.382	0.003	0.148	0.005	0.213	0.019	0.247	0.013
	325.371390	0.000	2.829290	0.029	3	14.384	0.019	13.787	0.016	0.597	0.010	0.063	0.012	0.388	0.016	0.354	0.005
	325.323719	0.022	2.855351	0.034	3	15.482	0.006	14.406	0.005	1.076	0.004	0.856	0.012	0.604	0.012	0.530	0.022
	325.354949	0.016	2.834204	0.038	3	16.284	0.017	15.532	0.013	0.752	0.011	0.184	0.012	0.437	0.035	0.425	0.027
	325.452834	0.178	2.778924	0.012	3	17.896	0.085	17.193	0.027	0.703	0.081	0.003	0.085	0.477	0.052	0.374	0.058
LL Cas	347.225701	0.067	54.837115	0.029	3	11.948	0.032	10.808	0.026	1.140	0.018	0.817	0.009	0.644	0.025	0.574	0.007
	347.217171	0.050	54.804267	0.027	3	12.172	0.010	10.987	0.006	1.186	0.008	0.837	0.009	0.654	0.015	0.602	0.008
	347.188146	0.056	54.795835	0.033	3	13.675	0.012	13.219	0.010	0.457	0.007	0.189	0.021	0.279	0.003	0.291	0.014
	347.276823	0.026	54.772117	0.037	3	14.212	0.017	13.539	0.015	0.672	0.009	0.213	0.012	0.415	0.012	0.408	0.016
	347.314513	0.022	54.798187	0.021	3	14.731	0.008	13.892	0.005	0.840	0.007	0.265	0.010	0.501	0.006	0.478	0.005
	347.212201	0.059	54.767065	0.025	3	15.014	0.010	14.111	0.005	0.903	0.009	0.327	0.004	0.521	0.008	0.506	0.008
	347.215665	0.034	54.753691	0.018	3	15.538	0.006	14.615	0.005	0.923	0.003	0.361	0.013	0.521	0.005	0.501	0.008
	347.221533	0.050	54.782576	0.036	3	16.148	0.008	15.354	0.000	0.794	0.008	0.231	0.008	0.461	0.002	0.433	0.023
	347.296006	0.000	54.766783	0.060	3	16.847	0.018	15.885	0.016	0.963	0.009	0.557	0.031	0.543	0.009	0.462	0.016
	347.309040	0.011	54.833660	0.051	2	17.883	0.027	16.955	0.025	0.928	0.011	0.303	0.012	0.585	0.085	0.493	0.051
	347.269861	0.035	54.818247	0.097	2	19.221	0.050	18.287	0.043	0.934	0.025			0.527	0.074		

Table 3. Selected non-variable Tycho stars to supplement the sequences in Table 2. The B_T, V_T are transformed to the B_J, V_J on the standard Johnson UBV system using the relations given in the Hipparcos/Tycho Catalogue. U_J, R_C, I_C on the Johnson *UBV* and Cousins *RI* systems are estimated from the Caldwell et al. (1993) transformation functions.

	star coordinates											*estimated*		
Tycho #	α (J2000.0)	δ	α (J2000.0)	δ	Φ	B_T,	s.e.	V_T,	s.e.	B_J	V_J	U_J	R_C	I_C
						StHα 190								
547 607 1	325.55607470	+2.41237315	21 42 13.458	+02 24 44.54	20	9.684	0.027	9.220	0.022	9.573	9.179	9.58	8.95	8.71
547 866 1	325.45971753	+2.52598269	21 41 50.330	+02 31 33.53	12	10.840	0.056	10.355	0.053	10.724	10.311	10.72	10.07	9.82
547 532 1	325.56180432	+2.77575376	21 42 14.834	+02 46 32.75	10	11.772	0.098	11.099	0.096	11.610	11.038	11.66	10.75	10.43
						ER Del								
1089 200 1	310.45631117	+8.73668026	20 41 49.515	+08 44 12.05		9.234	0.019	8.923	0.016	9.159	8.895	9.23	8.74	8.58
1089 253 1	310.97726116	+8.62115174	20 43 54.543	+08 37 16.14		9.859	0.025	9.277	0.020	9.719	9.225	9.72	8.95	8.65
1089 813 1	311.07798004	+8.81500578	20 44 18.715	+08 48 54.01		10.522	0.035	10.016	0.032	10.401	9.970	10.40	9.72	9.46
						TX CVn								
2533 490 1	191.66493813	+36.84846500	12 46 39.585	+36 50 54.48		9.560	0.021	9.217	0.018	9.478	9.186	9.53	9.02	8.84
2533 1558 1	191.07033243	+36.48351089	12 44 16.880	+36 29 00.64		10.191	0.030	8.804	0.016	9.858	8.679	10.97	8.08	7.46
2533 1662 1	190.72155153	+36.83154404	12 42 53.172	+36 49 53.55		10.641	0.039	9.870	0.029	10.456	9.801	10.60	9.43	9.08
2533 284 1	191.54249523	+36.63730034	12 46 10.199	+36 38 14.26		11.021	0.052	10.204	0.035	10.825	10.130	11.03	9.74	9.37
2533 823 1	191.30935238	+36.63805017	12 45 14.245	+36 38 16.98		11.459	0.070	11.254	0.086	11.410	11.236	11.53	11.14	11.04

Munari et al. (1992).

V471 Per. Discovery and numbering of variable stars in the Perseus constellation has not yet progressed so much to reach entry *V741* Per to which this variable has been erroneously confused so frequently in literature, probably arising from a mis-print in the Allen (1984) catalogue of symbiotic stars.

There are not much informations available on the photometric behavior of the system, which is usually observed around $V = 13.0/13.4$ and $B-V$=+0.90/+1.00. A moderate activity phase was observed in the 90ies, when on 1992 the object started a slow rise reaching $V = 12.4$ in 1994-95 and declined to $V = 13.3/13.4$ by 1996. The orbital period is unknown. MHZ lists $V = 13.10$ and $B - V$=+1.00.

GH Gem. Proposed by Kenyon (1986) as a possible symbiotic star, it has been observed by amateurs since then. VSNET and VSOLJ databases show the star stable at V ∼12.4 from 1986 to 1990, when the star entered a gradual brightness decrease to V ∼13.8 (reached by late 1993) and recovering to V ∼12.9 by 1995. Descending slowly to V ∼13.2 by 1999, in early 2000 it rapidly dropped to V ∼14.0. Not much else is known about the photometric behavior of this star. MHZ reports $V = 14.01$ and $B - V$=+1.00. A spectrum for GH Gem from the 3200-9100 spectral atlas of symbiotic stars of Munari and Zwitter (2001) show a continuum of a K-type giant with a weak Hα in emission.

BX Mon. Its orbital period is around 1400 days (Mayall 1940, Dumm et al. 1998). The lightcurve is varied, with relatively quite phases (V ∼12) interspersed with periods of rapid and large variability (13.0≤ V ≤10.2). A fast rise, large amplitude event occurred in 1999, when BX Mon rose to $V = 9.9$ in a pattern resembling an outburst. The photometric behavior of this bright object remain poorly known and understood. It could be an eclipsing object according to Kenyon (1986). MHZ reports $B = 12.36$ and $B - V$=+1.13.

V694 Mon. The object attracted much attention when hugely blushifted absorption components (up to –6000 km sec^{-1}, Tomov et al. 1990) were discovered to flank the emission line spectrum during the 1990 bright phase, when the star rose to $B \sim 9.5$ mag. Doroshenko et al. (1993) have discovered a $\triangle B \sim 0.8$ mag sinusoidal variation that they attribute to manifestation of a reflection effect following the ephemeris:

$$T(min) = 2437455 \ + \ 1930 \times E \tag{3}$$

The photometric behavior of V694 Mon over the last century has been quite active, spanning a range of ∼4 mag. The whole photometric history is covered by Luthardt (1991), Doroshenko et al. (1993) and Tomov et al. (1996). V694 Mon is well known for its rapid spectral variability, jet ejection and quasi-periodic flickering behavior (e.g. Michalitsianos et al. 1993, Tomov et al. 1995). MHZ lists $V = 10.81$ and $B - V$=+0.45.

TX CVn. This bright, isolated object has a relatively flat quiescence at V ∼10. Moderate amplitude outbursts have been reported for 1920 (7 years to return to quiescence), 1945 (4 years duration), 1952, 1962 and 1986 (4 years rising, 5 years descent). At maximum the object may reach V ∼8 mag. MHZ reports $V = 10.10$ and $B - V$ =+0.69 (it is worth noticing that such a moderate $B-V$ color suggests that the zero point of the m_{pg} magnitude scale adopted by Mumford (1956) could be too faint by 0.7 mag compared to modern B values). Apart from the frequent outbursts, not much is known about the other photometric properties of TX CVn. Kenyon and Garcia (1989) have spectroscopically determined an orbital period of 199 days, the shortest known among symbiotic stars.

IV Vir. The orbitally modulated lightcurve (P=282 days) of this bright symbiotic star ($V \sim 10.8$) is quite interesting: at longer wavelengths it is dominated by the ellipsoidal distortion of the cool giant filling its Roche lobe ($\triangle y$ =0.15 mag, with the classical pattern of two-maxima/two-minima per period; Niehues et al. 1992), while at shorter wavelengths the reflection effect takes over ($\triangle u$ =1.6 mag, with a sinusoidal pattern; Smith et al. 1997). The ephemeris for maxima in u is

$$T(max) = 2449158 \ + \ 282 \times E \tag{4}$$

The historical lightcurve and occurrence of past outbursts are unknown. MHZ lists $V = 10.71$ and $B - V$ =+1.41.

UKS Ce1. The photometric properties and history of this carbon symbiotic stars are unknown. MHZ reports $V = 15.89$ and $B - V$ =+1.88. A field star of similar brightness lies 5.9 arcsec from UKS Ce1 toward SSW, at α =243.871767 (±0.055 arcsec) and $\delta = -22.205167$ (±0.177 arcsec), with magnitudes V =16.732 (±0.023), $B - V$ = +0.840 (±0.033), $U - B$ = +0.286 (±0.045), $V - R$ = +0.606 (±0.030) and $R - I$ = +0.482 (±0.042).

V503 Her. In the GCVS it is reported as a long period variable varying between 14.4≤ B ≤13.1. Kenyon (1986) suggested its possible symbiotic nature but Bond (1978) and Munari and Zwitter (2001) observed an early M spectrum without emission lines, so its nature remains unclear. The VSOLJ data for 1988-1990 shows a relatively constant brightness at $V = 12.3$, with a slightly brighter phase at $V = 11.7$ in 1987 and a few doubtful reports about very faint states. The more recent VSNET lightcurve reports a $V \geq 14$ in 1997 and 1999, $V \sim 12.3$ in 1998 and $V \sim 12.7$ in 2000. MHZ lists $V = 12.67$ and $B - V$ =+1.28.

UU Her. After the initial discovery by Reinmuth (1926) reporting the object to vary between 16.0≤ m_{pg} ≤14.6, not much else has appeared in literature. The photometric properties of this symbiotic star remain essentially unknown. MHZ gives $V = 15.47$ and $B - V$ =+1.79.

DT Ser. This is an interesting case. The GCVS lists the variability range as 13.9≤ m_{pg} ≤13.2. Cieslinski et al. (1997) have shown that the symbiotic star is indeed a faint star (B =15.91, V =15.40) about 5 arcsec from a much brighter field star (that we have measured at B =13.550±0.003, V =12.772±0.014, $U - B$ =+0.109±0.004, $V - R$ =+0.462±0.017 and $R - I$ =0.475±0.006). The $B = 13.55$ of the nearby field star (not variable between the three observations we have obtained in separate nights) well matches the mean brightness of DT Ser listed in the GCVS. Thus, we believe that GCVS data refer to the combined light of (a) the much brighter, probably not variable field star, *and* (b) the faint, nearby symbiotic star that cannot be easily resolved under normal seeing condition and with small telescopes. If the nearby field star is not itself variable, than DT Ser must vary by a large amount to account for the observed $\triangle m_{pg}$ =0.7 mag, as if undergoing outbursts, and indeed the slow, long term variability exhibited by the pair combined light in the VSOLJ data (up-and-down time of ∼8 years) could support this interpretation. MHZ lists V =16.23 and $B - V$ =+0.37.

YY Her. The complete photometric history of YY Her over 1890-1996 has been reconstructed by Munari et al.



Fig. 1. Finding charts for the *UBV(RI)*$_C$ comparison photometric sequence around the program symbiotic stars. The fields are in the same order as in Table 1. North is up and East to the left, with an imaged field of view of 6.0×6.0 arcmin and a 6.6×6.6 coordinate grid. Stars are plotted as open circles of diameter proportional to the brightness in the *V* band. The stars making up the photometric sequence (see Table 2) are plotted as filled circles.



Fig. 2. Several of program symbiotic stars reach maximum magnitudes which impose looking for suitably bright comparison stars over a wider field. The symbols are the same as in Figure 1, with an imaged field of view of about 11.4×11.4 arcmin and a 12×12 arcmin coordinate grid. The zoomed-in 6.0×6.0 arcmin for BX Mon and YY Her presented in Figure 1 is outlined by a dashed square.

(1997). The quiescent lightcurve (at $V = 13.2$) is modulated by a $\triangle V$ =0.3 sinusoidal reflection effect, with minima given by the ephemeris

$$T(min) = 2448945(\pm 10) \ + \ 590(\pm 3) \times E \qquad (5)$$

YY Her underwent outbursts in 1914-19, 1930-33, 1981-82 and 1993-96 with additional bright phases in 1890, 1903, 1942, 1954, 1965 and 1974. Each outburst has its own lightcurve, different from the others. A few enigmatic brightness drops brought the star down to $V = 14.8$. MHZ gives V =12.93 and $B-V$ =+1.38.

StHα 149. In spite of its brightness (MHZ lists V =12.06 and $B-V$=+1.55), it is photometrically unknown.

DQ Ser. This moderately bright symbiotic star has been so far largely ignored by observers and its photometric properties are unknown. The GCVS gives a variability range 16.0≤ m_{pg} ≤13.9. Cieslinski et al. (1997) list V =14.5 and $B-V$=+1.23, while MHZ reports V =14.94 and $B-V$=+1.34.

V4368 Sgr. This probable symbiotic nova was discovered at $V = 10.7$ in 1994 by M.Wakuda. The progenitor is not visible in ESO/SERC photographic atlas (limiting magnitude ∼21.5), and searches in the Harvard and Sonnerberg plate archives have failed to reveal anything at this position since the earliest images obtained in 1888 (Grebel et al. 1994, Hazen 1994). Since then the object has remained close to maximum brightness, in a photometric and spectroscopic pattern reminiscent of PU Vul, another symbiotic nova (cf. Grebel et al. 1994, Bragaglia et al. 1995). According to the VSOLJ database V4368 Sgr has slowly risen to $V = 10.2$ by 1997 and descent to $V = 10.5$ by 1999. MHZ reports $V = 10.57$ and $B-V$ =+0.63.

NSV 11776. Scanty photometric information exist for this relatively bright symbiotic star. Cieslinski et al. (1994) reported about *UBV(RI)*$_C$ photometry secured in 1991-1992 that did not revealed variability or presence of flickering activity. MHZ lists $V = 13.47$ and $B-V$ =+0.92, which are identical to the mean values V =13.46 $B-V$ =+0.92 of Cieslinski et al. for 1991-92, which suggests limited variability for NSV 11776. Such a tight photometric stability is surprising in view of the very intense, high ionization emission lines indicating the presence of a very hot and luminous accreting white dwarf in the system.

StHα 164. The photometric history, type of variability, presence of outbursts and orbital period are unknown. MHZ reports B=14.48 and $B-V$=+2.03.

StHα 180. Another example of a bright symbiotic star completely unknown in its photometric properties. MHZ lists V =12.68 and $B-V$ =+1.40.

ER Del. ER Del is one of the rare symbiotics whose cool giant is an S star. It attracted attention when IUE spectra showed a high ionization emission line spectrum, revealing the symbiotic nature (as much as it happens with EG And). Little is known about its photometric properties. The poorly sampled VSNET lightcurve over the last six years may be described as a slow, linear descent from V ∼10.3 to V ∼10.8, with fluctuations overimposed. MHZ reports $V = 10.33$ and $B-V$ =+1.78.

StHα 190. The Hipparcos/Tycho did not detect variability for this object which is however close to the sensitivity limit, so a limited variability (some tenths of a magnitude) can surely be accommodated by the noise in the data. The Tycho $B_T = 11.1$ and $V_T = 10.30$ when transformed to the standard UBV system ($V = 10.23$, $B-V$=+0.68) are close to the values reported by MHZ, namely $V = 10.50$ and $B-V$=+0.84. Stephenson (1986) discovered StHα 190 at $V \sim 10.5$, Robertson & Jordan (1989) re-discovered it (as RJHα 120) at $V \sim 10.1$ and Downes & Keyes (1988) measured it at $V = 10.5$. Thus over the last 15 years the system mean brightness has remained fairly constant, and similarly went for the optical spectra very similar one to the other (Downes & Keyes 1988, Whitelock et al. 1995, Munari and Zwitter 2001), with no report of outbursts. Variability has been instead firmly established in the infrared by Whitelock et al. (1995) who reported $\triangle K$ =0.16. Munari et al. (2001, to be submitted) have recently discovered a fast evolving and complex mixture of spectral signatures produced by high variable bipolar jets and P-Cyg profiles, with indication of a high orbital inclination and a possible 171 day orbital period. Therefore, searches for flickering and eclipses in the bluest photometric bands could pay dividends over a single observing season.

LL Cas. Originally listed among the planetary nebulae it has been later reclassified as an Me star by Sabbadin et al. (1987) and finally as a symbiotic star by Kondrateva (1992) that reports about a $\triangle m$ ∼3.5 mag variability with a period P=286.6 days.

References

Allen D.A. 1984, Proc.Astron.Soc.Austr. 5, 369
Bond H. E. 1978, PASP 90, 526
Bragaglia, A., Duerbeck, H. W., Munari, U., Zwitter, T. 1995, A&A 297, 759
Caldwell J.A.R., Cousins A.W.J., Ahlers C.C., van Wamelen P., Maritz E.J. 1993, SAAO Circ. 15, 1
Cieslinski, D., Elizalde, F., Steiner, J. E. 1994, A&AS 106, 243
Cieslinski, D., Steiner, J.E., Elizalde, F., Pereira, M.G. 1997, A&AS 124, 57
Doroshenko V.T., Goranskij V.P., Efimov Yu.S. 1993, IBVS 3824
Downes R.A., Keyes C.D. 1988, AJ 96, 777
Dumm, T., Muerset, U., Nussbaumer, H., Schild, H., Schmid, H. M., Schmutz, W., Shore, S. N. 1998, A&A 336 637
Grebel, E., Duerbeck, H.W., Greiner, J., Richter, G. 1994, IBVS 4019
Hazen M.L. 1994, IAU Circ. 5976
Henden A., Munari U. 2000, A&AS 143, 343 (Paper I)
Jurdana R., Munari U. 2001, A&A, to be submitted
Kenyon, S.J. 1983, Ph.D. thesis, Univ. of Illinois Urbana-Champaign

Kenyon, S.J. 1986, The Symbiotic Stars, Cambridge Univ. Press

Kenyon S.G., Garcia M.R. 1989, AJ 97, 194

Kondrateva L.N. 1992, Astronomicheskij Zhurnal 69, 1219

Luthardt, R. 1991, IBVS 3563

Mayall, M.W. 1940, Bull.Harv.Coll.Obs. 913

Michalitsianos, A. G., Perez, M., Shore, S. N., Maran, S. P., Karovska, M., Sonneborn, G., Webb, J. R., Barnes, Thomas G., III, Frueh, Marian L., Oliversen, R. J., Starrfield, S. G 1993, ApJLett 409, 53

Mumford G.S. 1956, PASP 68, 538

Munari U., Yudin B.F., Taranova O.G., Massone G., Marang F., Roberts G., Winkler H., Whitelock P.A. 1992a, A&AS 93, 383

Munari, U., Rejkuba, M., Hazen, M., Mattei, J., Schweitzer, E., Luthardt, R., Shugarov, S., Yudin, B. F., Popova, A. A., Chugainov, P. V., Sostero, G., Lepardo, A. 1997, A&A 232, 113

Munari U., Jurdana R., Moro D. 2001, A&A, submitted (astro-ph/0102388)

Munari U., Zwitter T. 2001, A&A, to be submitted

Niehues, M., Bruch, A., Duerbeck, H. W. 1992, Messenger 67, 38

Reinmuth K. 1926, Astr.Nachr. 226, 193

Robertson T.H., Jordan T.M. 1989, AJ 98, 1354

Sabbadin F., Falomo R., Ortolani S. 1987, A&A 67, 541

Smith V.V., Cunha K., Jorissen A., Boffin H.M.J. 1997, A&A 324, 97

Stephenson C.B. 1986, ApJ 300, 779

Tomov, T.K, Kolev, D., Zamanov, R., Georgiev, L., Antov, A. 1990 Nature 346, 637

Tomov, T., Kolev, D., Munari, U., Sostero, G., Lepardo, A. 1995 A&A 300, 769

Tomov, T., Kolev, D., Ivanov, M., Antov, A., Jones, A., Mikolajewski, M., Lepardo, A., Passuello, R., Saccavino, S., Sostero, G., Valentinuzzi, T., Bellas-Velidis, Y., Dapergolas, A., Munari, U. 1996, A&AS 116, 1

Whitelock P., Menzies J., Feast M., Catchpole R., Marang F., Carter B. 1995, MNRAS 276, 219

This article was processed by the author using Springer-Verlag
LaTeX A&A style file *L-AA* version 3.